



Geschweißte Geländerrohre

Abmessung	Schwarz	Verzinkt
1/2" (21,25 x 1,75 mm)	●	
3/4" (26,75 x 1,75 mm)	●	
1" (33,5 x 2,0 mm)	●	
1 1/4" (42,25 x 2,0 mm)	●	
1 1/2" (48,25 x 2,0 mm)	●	

Geschweißte Konstruktionsrohre

Abmessung	Schwarz	Verzinkt
1/2" (21,3 x 2,0 mm)	●	
3/4" (26,9 x 2,0 mm)	●	
1" (33,7 x 2,5 mm)	●	
1 1/4" (42,4 x 2,5 mm)	●	
1 1/2" (48,3 x 2,5 mm)	●	
2" (60,3 x 2,5 mm)	●	




Geschweißte Stahlrohre nach EN10255 (ehem. DIN 2440)

Abmessung	Schwarz	Verzinkt
1/4" (13,5 x 2,35 mm)	●	
3/8" (17,2 x 2,35 mm)	●	
1/2" (21,3 x 2,65 mm)	●	●
3/4" (26,9 x 2,65 mm)	●	●
1" (33,7 x 3,25 mm)	●	●
1 1/4" (42,4 x 3,25 mm)	●	●
1 1/2" (48,3 x 3,25 mm)	●	●
2" (60,3 x 3,65 mm)	●	●
2 1/2" (76,1 x 3,65 mm)	●	●
3" (88,9 x 4,05 mm)	●	●



Stahlbauhohlprofile, kaltgefertigt, EN 10219

Abmessung	Schwarz
80 x 80 x 6 mm	●
80 x 80 x 8 mm	●
100 x 100 x 6 mm	●
100 x 100 x 8 mm	●
120 x 100 x 4 mm	●
120 x 120 x 3 mm	●
120 x 120 x 4 mm	●
120 x 120 x 5 mm	●
120 x 120 x 8 mm	●
140 x 140 x 4 mm	●
140 x 80 x 4 mm	●
160 x 80 x 4 mm	●
180 x 180 x 8 mm	●



Quadratrohre nach EN10305-5

Abmessung	schwarz	verzinkt
15 x 15 x 1,5 mm	■	■
20 x 20 x 2 mm	■	■
20 x 20 x 3 mm	■	
25 x 25 x 2 mm	■	■
25 x 25 x 3 mm	■	
30 x 30 x 2 mm	■	■
30 x 30 x 3 mm	■	
30 x 30 x 4 mm	■	
34 x 34 x 2 mm	■	■
35 x 35 x 2 mm	■	■
40 x 40 x 2 mm	■	■
40 x 40 x 3 mm	■	■
40 x 40 x 4 mm	■	
40 x 40 x 5 mm	■	
45 x 45 x 2 mm	■	
50 x 50 x 2 mm	■	■
50 x 50 x 3 mm	■	■
50 x 50 x 4 mm	■	
50 x 50 x 5 mm	■	
60 x 60 x 2 mm	■	■
60 x 60 x 3 mm	■	■
60 x 60 x 4 mm	■	
60 x 60 x 5 mm	■	
70 x 70 x 4 mm	■	
70 x 70 x 5 mm	■	
80 x 80 x 3 mm	■	■



Abmessung	schwarz	verzinkt
80 x 80 x 4 mm	■	
80 x 80 x 5 mm	■	
90 x 90 x 4 mm	■	
100 x 100 x 3 mm	■	■
100 x 100 x 4 mm	■	■
100 x 100 x 5 mm	■	

Rechteckrohre nach EN10305-5

Abmessung	schwarz	verzinkt
20 x 10 x 1,5 mm	■	
20 x 15 x 1,5 mm	■	■
25 x 15 x 1,5 mm	■	■
30 x 15 x 1,5 mm	■	■
30 x 20 x 2 mm	■	■
30 x 20 x 3 mm	■	
40 x 20 x 2 mm	■	■
40 x 20 x 3 mm	■	
40 x 30 x 2 mm	■	■
40 x 30 x 3 mm	■	
45 x 25 x 2 mm	■	
50 x 20 x 2 mm	■	■
50 x 25 x 2 mm	■	
50 x 30 x 2 mm	■	■
50 x 30 x 3 mm	■	■
50 x 30 x 4 mm	■	
50 x 34 x 2 mm	■	■



Abmessung	schwarz	verzinkt
50 x 40 x 2 mm	■	■
50 x 40 x 3 mm	■	
55 x 34 x 2 mm	■	
60 x 20 x 2 mm	■	■
60 x 20 x 3 mm	■	
60 x 30 x 2 mm	■	■
60 x 30 x 3 mm	■	
60 x 30 x 4 mm	■	
60 x 40 x 2 mm	■	■
60 x 40 x 3 mm	■	■
60 x 40 x 4 mm	■	
60 x 40 x 5 mm	■	
70 x 40 x 3 mm	■	
70 x 50 x 4 mm	■	
80 x 30 x 3 mm	■	
80 x 40 x 2 mm	■	
80 x 40 x 3 mm	■	■
80 x 40 x 4 mm	■	
80 x 40 x 5 mm	■	
80 x 50 x 3 mm	■	
80 x 50 x 4 mm	■	
80 x 50 x 5 mm	■	
80 x 60 x 3 mm	■	■
80 x 60 x 4 mm	■	
80 x 60 x 5 mm	■	
90 x 50 x 4 mm	■	
100 x 20 x 2 mm	■	

M. SCHULTE SÖHNE

GmbH & Co. KG

GEGRÜNDET
1787



Walzstahl · Bleche · Rohre · Eisenwaren · Sanitär- und Heizungs-Fachhand

Asbacher Str. 42-46
Postfach 1104

53545 Linz/Rhein Telefon 02644/9602-0
53542 Linz/Rhein Telefax 02644/953294

www.mschultesoehne.de
m.schulte.soehne@t-online.de

Abmessung	Schwarz	verzinkt
100 x 30 x 3 mm	■	
100 x 40 x 2 mm	■	
100 x 40 x 3 mm	■	
100 x 40 x 4 mm	■	
100 x 50 x 3 mm	■	
100 x 50 x 4 mm	■	
100 x 50 x 5 mm	■	
100 x 60 x 3 mm	■	
100 x 60 x 4 mm	■	
100 x 60 x 5 mm	■	
100 x 80 x 3 mm	■	
100 x 80 x 4 mm	■	
120 x 40 x 3 mm	■	■
120 x 50 x 3 mm	■	
120 x 60 x 3 mm	■	
120 x 60 x 4 mm	■	
120 x 60 x 5 mm	■	
120 x 80 x 3 mm	■	
120 x 80 x 4 mm	■	
120 x 80 x 5 mm	■	

■ S235JR+AR

M. SCHULTE SÖHNE

GmbH & Co. KG

GEGRÜNDET
1787



Walzstahl · Bleche · Rohre · Eisenwaren · Sanitär- und Heizungs-Fachhand

Asbacher Str. 42-46
Postfach 1104

53545 Linz/Rhein Telefon 02644/9602-0
53542 Linz/Rhein Telefax 02644/953294

www.mschultesoehne.de
m.schulte.soehne@t-online.de

RP-Rohre		
Abmessung	schwarz	verzinkt
RP-Rohr 1008		
RP-Rohr 103		
RP-Rohr 104		
RP-Rohr 105		
RP-Rohr 106		
RP-Rohr 111		
RP-Rohr 112		
RP-Rohr 114		
RP-Rohr 1191		
RP-Rohr 143		
RP-Rohr 144		
RP-Rohr 150		
RP-Rohr 152		



Nahtloses Stahlrohre EN 10210/10216 (DIN 2448)

33,7 x 2,6 mm	■
38 x 2,6 mm	■
42,4 x 2,6 mm	■
48,3 x 2,6 mm	■
51 x 2,6 mm	■
57 x 2,9 mm	■
60,3 x 2,9 mm	■
70 x 2,9 mm	■
76,1 x 2,9 mm	■
82,5 x 3,2 mm	■
88,9 x 3,2 mm	■
101,6 x 3,6 mm	■
108 x 3,6 mm	■
114,3 x 3,6 mm	■
121 x 4 mm	■
127 x 4 mm	■
133 x 4 mm	■
139,7 x 4 mm	■
159 x 4,5 mm	■
168,3 x 4,5 mm	■
193,7 x 5,6 mm	■

M. SCHULTE SÖHNE

GmbH & Co. KG

GEGRÜNDET
1787



Walzstahl · Bleche · Rohre · Eisenwaren · Sanitär- und Heizungs-Fachhand

Asbacher Str. 42-46
Postfach 1104

53545 Linz/Rhein Telefon 02644/9602-0
53542 Linz/Rhein Telefax 02644/953294

www.mschultesoehne.de
m.schulte.soehne@t-online.de

■ S235JR+AR